

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S25	34434	input near2 impedance	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 10:50
S26	79194	input near2 current	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 10:50
S27	42315	bias\$3 near2 current	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 10:50
S28	143	S25 with S26 with S27	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 12:55
S29	71397	differential near2 (input or output)	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 10:51
S30	7	S28 with S29	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 10:56
S31	11	S28 same S29	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 11:01
S33	22	("3619660"   "4241455"   "4528519"   "4757502"   "5081653"   "5087892"   "5166819"   "5329115"   "5361395"   "5557634"   "5585952"   "5706110"   "5714909"   "5760942"   "5864591"   "5874861"   "5884153"   "5917865"   "5936231"   "6014061"   "6018650"   "6038049").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/21 11:06
S34	236	348/302.ccls.	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 12:56
S35	71397	differential near2 (input or output)	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 13:25
S36	3565	(set\$4 or adjust\$3) near3 bias\$3 near2 current	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 12:58
S37	34434	input near2 impedance	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 12:59
S38	24	S36 with S37	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 13:02

S39	31	S34 and S35	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 13:10
S40	2371	348/294-324.ccls.	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 13:10
S41	190	S35 and S40	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 13:11
S42	27	S41 and impedance	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 13:15
S43	2240	327/379-391.ccls.	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 13:24
S45	2898	S35 with impedance	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 13:34
S46	10	S43 and S45	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 13:26
S47	49	S36 same S37	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 13:40
S48	5	("4134078"   "4758799"   "5327097"   "5424692"   "6046640").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/21 13:36
S49	7095	constant near3 impedance	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 13:41
S50	1	S49 with S36	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 13:41
S51	6	S49 same S36	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 13:54
S52	1100	S35 with S37	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 14:14
S53	8	S52 and imag\$3 near2 sens\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 13:55
S54	7095	S49 same S49	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 14:14
S55	33	S43 and S54	USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/21 14:57

S56	2	("5512853").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/21 14:57
S57	2	("4481676"   "4694504").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/21 14:57
S58	23	("5512853").URPN.	USPAT	OR	OFF	2004/12/21 14:58
S59	48477	bias\$3 near2 current	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/22 08:49
S60	38795	input\$4 near2 impedance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/22 08:49
S61	47187	differential near2 input	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/22 09:28
S62	16	S59 with S60 with S61	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/22 09:25
S63	36831	current near2 mode	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/22 09:27
S64	497	S61 same S63	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/22 09:25
S65	1	S64 same S59 same S60	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/22 09:26
S66	1266	S63 with driver	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/22 09:28
S67	25	S66 with S61	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/22 09:28

S68	50	("3842841"   "4475077"   "4573168"   "4624006"   "4967140"   "5134311"   "5216667"   "5218239"   "5253249"   "5325355"   "5457406"   "5481207"   "5490171"   "5530377"   "5541535"   "5578939"   "5579336"   "5604450"   "5604464"   "5621335"   "5648734"   "5663661"   "5675811"   "5703519"   "5736869"   "5778204"   "5783936"   "5787298"   "5793248"   "5841827"   "5874837"   "5977796"   "5977800"   "6037811"   "6066944"   "6087847"   "6087853"   "6107856"   "6118310"   "6121764"   "6124760"   "6133749"   "6150806"   "6157206"   "6188237"   "6226331"   "6256234"   "6329843"   "6366867"   "6522174").PN.	US-PGPUB; USPAT; USOCR	OR .	OFF	2004/12/22 09:33
S70	42322	impedance near2 match\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/22 13:20
S72	2995	differential near2 driver	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/22 13:21
S73	49	S70 with S72	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/22 14:51
S74	15	S73 and CMOS	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/22 13:21
S75	16	S73 and (CMOS or current adj1 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/22 13:21
S76	48477	current near2 bias\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/22 13:25
S77	4	S73 and S76	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/22 13:25

S78	1098	differential near4 current near2 mode	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/22 14:51
S79	343	S78 and CMOS	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/22 14:52
S80	34	S78 with CMOS	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/22 14:54
S81	2	("5050194").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/22 16:00
S82	2	("5886659").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/22 16:00